

ANNEX 5: Stock summary and assessment for 2020 report

NAME	DEFINITION
TAXON GROUP NAME	Description of species
ICES STOCK	ICES stock code
Opinion_type	1-A: Analysis with Fmsy; 1-B: Analysis without Fmsy; 2-A: ICES opinion without analysis; 2-B: RFMO and GFCM opinion without analysis; 3-A: Expert assessment (with ICES advice).
Exploitation_level_compared	1: 'exploited'; 2: 'not known'/'unclear'; 0: 'overfished'
Stock_status	1: 'healthy'; 2.0: 'not known'/'unclear'; 2.1 Status unknown but increasing; 2.2 Status unknown but decreasing; 2.3 Status unknown but stable; 0: 'overharvested'
Assessment_report_2020	1= 'exploited' or 'healthy'; 0= 'overfished' or 'overharvested'. Stocks where F is poor but biomass is high where the B/'Bmsy' ratio is greater than 1.5 or very high where the ratio is close to or greater than 2, have been evaluated as healthy.
France's share of total landings of stock	France's share of total landings of stock. If figures were unavailable for global landings, the figures for France were used, thereby attributing 100% of landings to French fleet segments.
ICES_STOCK*	Stock for which France accounted for 100% only because in 2016 it was not possible to gather figures on total landings by other flag vessels.

Description	FISHERY LIB	Opinion type	Level of exploitation	Stock status	Assessment for 2020 report	France's share of total landings of stock in 2018	Total landed quantity (France) (tonnes)
Albacore	ALB.27	1-A	1	1	1	20%	5809
	ALB.47	1-A	1	1	1	0%	
	ALB.51	1-A	0	0	0	1%	281
Alfonsino	ALF.27	2-A	2	2	1	5%	15
European anchovy	ANE.27.8	1-B	1	1	1	10%	2951
	ANE.37.7	2-B	2	2	0	82%	947
Greater argentine	ARU.27.123a4	2-A	1	1	1	0%	
Bigeye tuna	BET.47	1-A	0	0	0	0%	241
	BET.51	1-A	0	0	0	7%	6750
Bluefin tuna	BFT.27	1-A	1	1	1	2%	447
	BFT.37	1-A	1	1	1	16%	4325
Blue ling	BLI.27.123a4a8912	2-A	1	2	0	3%	12
	BLI.27.5b67	1-A	2	1	1	38%	1300

Black marlin	BLM.51	1-A	1	1	1	0%	28
Black scabbardfish	BSF.27	2-A	3.1	3.1	1	36%	1548
European seabass	BSS.27.4bc7a7d-h	1-A	1	1	1	40%	317
	BSS.27.8ab	1-A	0.1	0.1	1	97%	2242
Blue marlin	BUM.51	1-A	0	0	0	3%	229
Atlantic cod	COD.27.1-2	1-A	0	0	1	1%	6605
	COD.27.3an47d	1-A	0	0	0	1%	602
	COD.27.6a	1-A	0	0	0	10%	109
	COD.27.7e-k	1-A	0	0	0	36%	496
Narrow-barred Spanish mackerel	COM.51	1-A	0	0	0	0%	15
Edible crab	CRE.27.78abd	3-A	0	0	0	30%	3692
European eel	ELE.27	2-A	2	2	0	100%	91
	ELE.37	2-A	2	2	0	52%	193
Greater forkbeard	GFB.27	2-A	2	2	1	31%	462
Greenland halibut	GHL.27.1-2	1-B	2.1	2.1	1	0%	142
	GHL.27.561214	1-A	0	0	0	0%	68
Red gurnard	GUR.27.3-8	2-A	2	2	1	73%	2929
Haddock	HAD.27.3an46a	1-A	0	0	1	1%	254
	HAD.27.7b-k	1-A	0	0	0	62%	4377
Atlantic herring	HER.27.3a47d	1-A	1	1	1	5%	31483
	HER.27.7as7g-k	1-A	0	0	0	0%	
European hake	HKE.27.3a4678abd	1-A	1	1	1	43%	38850
	HKE.27.8c9a	1-A	0	0	1	1%	60
	HKE.37.7	1-A	0	0	0	97%	764
Atlantic horse mackerel	HOM.27.2a4a5b6a7a-c7e-k8	1-A	0	0	0	3%	3189
Kawakawa	KAW.51	1-A	1	1	1	0%	1
Megrin	LEZ.27.4a6a	1-A	1	1	1	6%	173
	LEZ.27.7b-k8abd	1-A	1	1	1	39%	4799
Ling	LIN.27.3a4a6-91214	2-A	0	1	1	10%	2148
	LIN.27.5b	2-A	1	0	0	0%	2
Atlantic mackerel	MAC.27	1-A	0	0	1	2%	21273
Striped marlin	MLS.51	1-A	0	0	0	0%	2
Monkfishes nei	MNZ.27.3a46	2-A	2	2	0	6%	1304

	MNZ.27.7b-k8abd	1-A	1	1	1	60%	19453
Surmullet	MUR.27.67a-c7e-k89a	2-A	2.1	2.1	1	54%	894
Red mullet	MUT.37.7	1-A	0	0	0	87%	260
Norway lobster	NEP.27.7bcjk.FU16	1-A	1	1	1	3%	76
	NEP.27.7gf.FU22	1-A	1	0	0	0%	5
	NEP.27.7gh.FU20-21	1-A	1	1	1	9%	163
	NEP.27.8ab.FU23-24	1-A	0	1	1	100%	2145
Orange roughy	ORY.27	2-A	2	2	0	0%	
Penaeus shrimp	PEN.31	1-B	0	0	0	100%	227
European pilchard	PIL.27.8abd	1-A	0	0	0	79%	25582
	PIL.37.7	2-B	1	1	1	93%	761
European plaice	PLE.27.3a204	1-A	1	1	1	0%	113
	PLE.27.7d	1-A	1	1	1	44%	2178
	PLE.27.7e	2-A	0	0	1	7%	117
	PLE.27.7fg	1-A	1	1	1	30%	127
	PLE.27.7hjk	1-A	0.2	0.2	0	34%	33
Saithe	POK.27.3a46	1-A	1	1	1	18%	15951
	POK.27.5b	1-A	1	1	1	0%	48
Pollack	POL.27.67	2-A	1	1	1	29%	826
	POL.27.89a	2-A	2	2	1	81%	1221
White skate	RJA.27	2-A	2	2	0	97%	7
Blue skate	RJB.27.67a-c7e-k	2-A	2	2	1	0%	
Thornback ray	RJC.27.3a47d	2-A	3.1	3.1	1	50%	1111
	RJC.27.6	2-A	2	2	0	1 %	2
	RJC.27.7afg	2-A	2	2	1	11%	100
	RJC.27.7e	2-A	2	2	1	57%	211
	RJC.27.8	2-A	2	2	1	56%	223
Shagreen ray	RJF.27.67	2-A	2	2	1	58%	127
Sandy ray	RJI.27.67	2-A	2	2	1	67%	42
Spotted ray	RJM.27.3a47d	2-A	2	2	1	4%	16
	RJM.27.67bj	2-A	2	2	0	24%	23
	RJM.27.7a7e-h	2-A	2	2	0	100%	831
Cuckoo ray	RJN.27.678abd	2-A	2	2	1	77%	2268
Undulate ray	RJU.27.7de	2-A	2	2	0	62%	86
	RJU.27.8ab	2-A	2	2	1	76%	17

Roundnose grenadier	RNG.27.1245a28914ab2	2-A	2	2	1	0%	0
	RNG.27.5b6712b	2-A	2	2	1	10%	169
Blackspot seabream	SBR.27.678	2-A	2	2	0	19%	24
Great Atlantic scallop	SCE.27.7d	3-A	3.1	3.1	1	73%	22477
	SCE.27.7e	3-A	1	1	1	100%	8439
	SCE.27.8a	3-A	2	2	1	100%	692
	SCE.27.8b	3-A	2	2	1	92%	30
Smooth hounds nei	SDV.27	2-A	2	2	1	84%	3113
Indo-Pacific sailfish	SFA.51	1-A	0	0	0	0%	7
Blackmouth catshark	SHO.27.89a	2-A	2	2	1	0%	0
Skipjack tuna	SKJ.34	2-B	3.1	3.1	1	8%	21604
	SKJ.51	1-A	1	1	1	8%	49090
Common sole	SOL.27.4	1-A	0.1	0.1	1	4%	434
	SOL.27.7d	1-A	1	1	1	54%	1242
	SOL.27.7e	1-A	1	1	1	20%	217
	SOL.27.8ab	1-A	0.1	0.1	1	90%	3105
European sprat	SPR.27.3a4	1-B	2	2	1	0%	
Swordfish	SWO.27	1-A	1	1	1	1%	75
	SWO.37	1-A	0	0	0	1%	93
	SWO.47	1-A	1	1	1	0%	
	SWO.51	1-A	1	1	1	2%	573
Tusk	USK.27.1-2	2-A	1	1	1	0%	2
	USK.27.3a45b6a78912b	2-A	1	1	1	3%	151
Blue whiting	WHB.27.1-91214	1-A	0	0	1	1%	16409
Whelk	WHE.27.7d	3-A	2	2	1	70%	5460
	WHE.27.7e	3-A	0	0	0	91%	9543
Whiting	WHG.27.47d	1-A	0	0	0	22%	3567
	WHG.27.7bc7e-k	1-A	0.1	0.1	1	40%	3625
	WHG.27.89a	2-A	1	1	1	97%	1519
Yellowfin tuna	YFT.47	1-A	1	1	1	2%	2215
	YFT.51	1-A	0	0	0	7%	28856